


TRACK 1110 installation

Installation method using bolts



1. Use the appropriate size of screws, it is recommended to use the M5 type and to use thread locking glue on the bolts. We recommend Loctite Thread Locker Blue 242.
2. Protect the tracker casing appropriately: protect the casing with a washer and use a spring washer to mitigate the effects of vibration and temperature variations.
3. Don't apply too much torque during the fixation: the maximum allowed torque is 2.5NM for an M5 screw used with a washer. Applying more torque may severely damage the tracker's casing.

Alternative installation methods

For alternative fixation methods such as magnets, glue and double sided tape or tie wraps, please contact the Sensolus Help Desk (support@sensolus.com)

Installation advice




Avoid blocking the tracker's view with metal or carbonfibre walls. They weaken or block the radiofrequency signals.



Make sure the mounting surface is flat and clean, for a strong and durable bond.



Place the tracker as high as possible on the asset to ensure good network coverage.



Do not install the tracker on parts that receive frequent shocks or vibrations.



Install the tracker vertically, with the logo facing up.



If your asset is handled in a rough environment, you can place the tracker in a protected location, but never with metal or carbonfibre above the tracker.



Make sure the tracker has a clear view on the sky.



Avoid placing the tracker in a place that can collect water



If you can't install vertically, do not mount the tracker upside down.



Do not install on a car's dashboard. The maximum working temperature of the device will be exceeded, which leads to damage.

Tracker activation

Trackers are not yet activated when they are delivered to your premises, to avoid battery consumption before actual deployment. To effectively start using the trackers, they must be activated using the following

method:



Tip:

Activation of the trackers is preferably done outdoors. This enables faster successful GPS localization.

Tip:

The platform subscription costs for the tracker start when it is first activated, or latest after six months after the shipment date.

Troubleshooting

Briefly place the magnet on the tracker for less than 5 seconds. The tracker will indicate its current status with the LED light:



Force new configuration download on the tracker

